

# Analysis Certificate

Matthew Brown



IN PARTNERSHIP



Animal Data		Sample Data	
Kennel Club Reg Name: CLEESTANGATE'S RAZZ		Weatherbys Ref.	WBV-05872
		Test	WBCNPK0013
Kennel Club Reg No.	BB25845803	Microchip No.	953010006930142
Breed	Spaniel (Cocker)	Lab No.	G7715402

## Results:

**Familial nephropathy (FN)**  
**Acral mutilation syndrome (AMS)**  
**Progressive retinal atrophy (prcd-PRA)**

**CLEAR**  
**CLEAR**  
**CLEAR**

**DNA Profile:** If your order includes a DNA profile, we can confirm this has been generated and you'll receive a copy of the profile in the post. Your dog's profile will also be stored on The Kennel Club's database and will be freely available to you at any time. Should you want an electronic version, please contact The Kennel Club's health team at [health@thekennelclub.org.uk](mailto:health@thekennelclub.org.uk)

Sir Johnny Weatherby KCVO  
Weatherbys

For information and advice on interpreting results and breeding please see the breed specific booklet provided to you, alternatively you can visit The Kennel Club website or contact their health team at [health@thekennelclub.org.uk](mailto:health@thekennelclub.org.uk)

Weatherbys exercises the utmost care in performing each of its tests. No party other than the principal may derive any rights from the results of these engagements, and the principle expressly indemnifies Weatherbys in respect of any third party claims. Weatherbys policy provides that any complaints must be received within eight days of the completion of an engagement and imposes restrictions on liability. In that respect, The Kennel Club refers to its terms and conditions of sales, which are applicable to all engagements Weatherbys performs and which were enclosed with the submission form. These general conditions can also be reviewed at [www.thekennelclub.org.uk/policies/the-kennel-club-dna-testing-terms-and-conditions/](http://www.thekennelclub.org.uk/policies/the-kennel-club-dna-testing-terms-and-conditions/). The tests are performed based on the material and/or data it receives from its principal. This report may only be copied in its entirety.  
\*test performed by Laboklin.

CERTIFICATE NR: WBV-05872

DATE OF ISSUE: 19/05/2025